

TLC 2009 Page 1

Bubble Anatomy

Start Here

×


+

move delete

new sibling

free connect new child

5.





Click to select the color of a bubble. Bubbles can have automatic/default color or a specific color assigned to them. New child bubbles are always created with automatic color assigned to them. Top level bubbles use the last color selected.

6.

How do I move my bubble or "pin" it to a new location?

Start Here



Click and drag to move your bubble.

After the bubble has been moved (or "pinned"), a new button with an arrow pointing to bubble's parent will appear on its title bar. Click it to reset bubble's position.

Click UNPIN ALL in upper left corner of the screen to reset all bubbles' positions.

If you drop a bubble over another bubble while it is highlighted in red, you can re-assign it to a new parent.

7. How do I add another bubble to my main idea bubble?





Click to create a new child baloon.

8.

How do I connect one existing bubble to another?


Start Here




Click and drag to connect two bubbles together with a directional line. This allows connections in any order.


Note: Once you have dragged the two bubbles together, be sure to wait until the reddish-orange outline appears around the two circles before releasing your mouse.







15. Continued:



Other Features:

You can enlarge your graphic organizer with the **Zoom** icon at the top left.

You may also type the letter **A** to enlarge your concept map, or type the letter **Z** to shrink.

Center Unpin All + - Q Zoom 75%

Move bubble

Set Print Area